



BUILDING PRODUCTS

INNOVATION THAT SPEEDS THE JOBSITE



SPEED BEAD™

HYDRODRY®




CUT, PEEL, STICK IT - IT'S THAT FAST!

- SPEED BEAD, a patented SHARK FIN weatherization technology, is a self-adhering weatherproof casing bead *that does not need to be caulked* saving you material and labor costs
- Meets or exceeds Load Test ASTM E330/E330M, Water Resistance ASTM E331, and Air Infiltration ASTM E283
- Certification ensures a secure weatherproof seal.
- Supplied in 10' lengths for FAST job site installation
- Featured in three colors, white, tan and grey

3M Science.
Applied to Life.™

MEASURE, CUT IT, GENTLY WIPE DOWN SURFACES WITH ISOPROPYL ALCOHOL, PEEL BACK THE PROTECTIVE STRIP FROM THE SELF ADHERING ADHESIVE, APPLY IT TO THE WINDOW, DOOR AND SOFFIT FRAMES CREATING A WEATHERPROOF SEAL. IT'S THAT FAST!

- Cut SPEED BEAD™ to the proper length, peel away the protective strip, stick it in place
- You are now ready to apply stucco, stone, or engineered board cladding
- The weatherproof seal is achieved during installation so there is no need to caulk




Simply Peel Back the Protective Strip Over the Adhesive on the Flexible Bulb



Position SPEED BEAD Where Needed



Press it into Place for a Tight Weatherproof Seal without the Need for Caulk or Any Additional Attachments. Corners Can be Caulked if Needed




Easily Create Clean Crisp Corners

SPEED BEAD™ IS DESIGNED WITH AN INTEGRATED ALL WEATHER SELF ADHESIVE BULB THAT FORMS A WEATHERPROOF SEAL AROUND WINDOWS, DOORS FRAMES AND SOFFITS


THE SUPERIOR FLEXIBLE BULB CREATES A CONSISTENT SEAL SO CAULKING IS NO LONGER NEEDED. THIS SAVES ON EXCESSIVE LABOR AND MATERIALS COSTS WHILE IMPROVING QUALITY CONTROL WHICH TRANSLATES INTO A SUPERIOR CURB APPEAL AND LOWER MAINTENANCE COSTS.

Speed Bead by Amico features the latest in dual extrusion technology. This versatile casing bead trims out fenestration and other cladding breaks in less than half the time of traditional methods. The Integrated expansion flange provides an even, self adhesive gasket that adheres to the window or door creating a seal that does not need to be caulked, so you get a perfect seal every time. The flexible self adhering gasket creates a permanent seal that moves with the opening as the structure settles through seasonal cycles.


- SPEED BEAD's SHARK FIN self adhering flexible seal and casing bead are simultaneously extruded creating a 1-piece construction that won't come apart as compared to cheap foam imitations
- SPEED BEAD creates a SHARK FIN self adhering weatherproof seal so caulking is no longer needed saving you materials and labor
- Supplied in 10' lengths for FAST job site installation
- Meets or exceeds Load Test ASTM E330/E330M, Water Resistance ASTM E331, and Air Infiltration ASTM E283 Certification to ensure a secure weatherproof seal.
- Featured in three, colors white, tan and gray to match window or door finishes



The Integrated Flexible Bulb Creates a Waterproof Seal Without the Need to Caulk



White



Tan



Gray

Colors shown in the brochure may differ slightly from the actual product

LABOR COST SAVINGS

Product	Install Time	Labor Cost Per Window (16 Lineal Ft)	Labor Cost Per Ft.	Sealant Joint Depth	Sealant Joint Width	Sealant Cost Per Window	Sealant Cost Per Ft.	Sealant Yield (10.3 oz)	Labor & Sealant Cost Per Window	% Savings	Savings Over 15 Windows*
Speed Bead®	10	\$8.33	\$0.64	N/A	N/A	N/A	N/A	N/A	\$8.33	71%	-\$309.45
Casing+BR	25	\$20.83	\$1.60	0.50" **	0.375" **	\$8.06	\$0.63	8 ft	\$28.96	0%	\$0.00

*Based on windows only, 3' x 5', **If standard bead and backer rod are installed correctly



SPEED BEAD's Integrated Flexible Bulb Creates a Waterproof Seal Eliminating the Need to Caulk



AMICO's Shark Fin Technology Ensures a Complete Waterproof Seal



Reduce Labor, Eliminate Caulking and Drastically Reduce Your Installation Costs

TESTED AND APPROVED*

Product	Test	Test Type	Results
Speed Bead™	ASTM E330	Load Test	PASSED
Speed Bead™	ASTM E331	Water Resistance Test	PASSED
Speed Bead™	ASTM E283	Air Infiltration	PASSED

*Test results available on AMICO Global website

PLACE YOUR ORDER NOW AT: AMICOGLOBAL.COM

Part #	Ground	Flange	Product #
VSCBSPEED17558010	5/8"	1 3/4" perforated flange	AM66-SB-580
VSCBSPEED17578010	7/8"	1 3/4" perforated flange	AM66-SB-780
VSCBSPEED17575010	3/4"	1 3/4" perforated flange	AM66-SB-750
VSCBSPEED175125010	1-1/4"	1 3/4" perforated flange	AM66-SB-500
10' length, 50 to a box			

Building Products Website



BUILDING PRODUCTS

800-487-2511 • amicobp.com



SCAN FOR BILT 3D INSTRUCTIONS



POWERED BY BILT INTELLIGENT INSTRUCTIONS™

DEC 2023